



















Reaming Button Bit for Rock Drilling

Product	Diameter		Buttons		Flushing Hole		Weight [kg]	Model No.
	[mm]	[in]	Gauge [No.] × [mm]	Front [No.] × [mm]	Side [No.]	Front [No.]		
R32								
 Dome reaming bits	76	3"	9 × 13	1 × 12	-	2	2	R32-7610KKP
	102	4"	8 × 13	7 × 13	2	2	3.7	R32-10215KKP
	102	4"	8 × 13	9 × 13	2	2	3.8	R32-10217KKP
 Pilot reaming bits	76	3"	12 × 12	4 × 10	-	2	2.5	R32-7616DXP
	89	3 1/2"	12 × 12	4 × 10	-	2	3.4	R32-8916DXP
	102	4"	12 × 13	3 × 10	-	2	3.4	R32-10215DXP
	102	4"	14 × 12	3 × 10	-	2	3.8	R32-10217DXP
	102	4"	8 × 14	7 × 12	-	-	4.8	R32-10215DXP
SR35								
 Dome reaming bits	89	3 1/2"	8 × 13	7 × 13	1	2	3	SR35-8915KKP
	102	4"	8 × 13	7 × 13	2	2	3.7	SR35-10215KKP
T38								
 Dome reaming bits	102	4"	8 × 13	9 × 13	2	2	3.8	T38-10217KKP
	125	4 59/64"	9 × 13	10 × 13	2	2	7.5	T38-12519KKP
	127	5"	9 × 13	10 × 13	2	2	8	T38-12719KKP
	152	6"	9 × 16	11 × 16	2	2	12.3	T38-15220KKP
 Pilot reaming bits	89	3 1/2"	12 × 12	4 × 10	-	2	3.4	T38-8916DXP
	102	4"	8 × 14	7 × 11	-	-	4.3	T38-10215DXP
	115	4 1/2"	8 × 14	7 × 12	-	-	5.8	T38-11515DXP
	127	5"	8 × 14	7 × 12	-	-	7.7	T38-12715DXP
	127	5"	8 × 14	7 × 12	-	-	6.5	T38-12715DXP
	127	5"	10 × 14	7 × 12	-	-	6.6	T38-12717DXP
	152	6"	8 × 16	7 × 14	-	-	13.3	T38-15215DXP
	178	7"	16 × 16	3 × 14	-	-	19.7	T38-17819DXP

Product	Diameter		Buttons		Flushing Hole		Weight	Model No.
	[mm]	[in]	Gauge [No.] × [mm]	Front [No.] × [mm]	Side [No.]	Front [No.]		
T45								
	152	6"	9 × 16	11 × 16	2	2	12.3	T45-15220KKP
Dome reaming bits								
	102	4"	8 × 12	9 × 10	-	-	4.2	T45-10217DXP
	152	6"	8 × 16	10 × 14	-	-	12.8	T45-15218DXP
	152	6"	8 × 14	7 × 14	-	-	12.8	T45-15215DXP
Pilot reaming bits								
T51								
	152	6"	9 × 16	11 × 16	2	2	12.3	T51-15220KKP
Dome reaming bits								
	127	5"	12 × 14	7 × 12	-	-	5.9	T51-12719DXP
	127	5"	12 × 14	7 × 12	-	-	5.9	T51-12719DXP
Pilot reaming bits								
ST58								
	152	6"	9 × 16	11 × 16	2	2	12.3	ST58-15220KKP
Dome reaming bits								
	189	7 7/16"	15 × 16	3 × 14	-	-	20.2	ST58-18918DXP
	189	7 7/16"	15 × 16	3 × 14	-	-	20.2	ST58-18918DXP
Pilot reaming bits								

Product	Diameter		Buttons		Flushing Hole		Weight	Model No.
	[mm]	[in]	Gauge [No.] × [mm]	Front [No.] × [mm]	Side [No.]	Front [No.]		
ST68								
	152	6"	9 × 16	11 × 16	2	2	12.3	ST68-15220KKP
Dome reaming bits								
	152	6"	9 × 16	3 × 16	-	-	14.2	ST68-15212DXP
	254	10"	8 × 16	7 × 14	-	-	51.4	ST68-25415DXP
Pilot reaming bits								

Remarks: Other button bit specifications are available according to customer requirements.